

Specification**Electrical properties**

Frequency	800-960 MHz, 1710-2170 MHz, 2500-2700 MHz
Impedance	50 Ohm
V.S.W.R	3.5:1
Gain	7-11 dBi
Polarization	Vertical
Power max	10W

Mechanical properties

Antenna type	Omnidirectional
Cable cover	Black
Antenna cable	1-5m, TWIN RG-174
Antenna color	Black
Connector type	optional
Height	30cm
Weight	230 g

Specific properties

Part number

Photos

S11 FORWARD REFLECTION
CHN1


TRANSMISSION/REFLECTION

LOG MAGNITUDE

REF=0.000 dB

10.000 dB/DIV

CH 1 - S11
REFERENCE PLANE
0.0000 mm



5: 2.500000000 GHz
-21.263 dB

6: 2.620000000 GHz
-17.204 dB

7: OFF

8: OFF

MARKER TO PEAK

MORE

S11 FORWARD REFLECTION
CHN1


TRANSMISSION/REFLECTION

SWR

REF=0.000 pU

10.000 U/DIV

CH 1 - S11
REFERENCE PLANE
0.0000 mm



5: 2.500000000 GHz
1.195 U


6: 2.620000000 GHz
1.325 U

7: OFF

8: OFF

MARKER TO PEAK

MORE



Ordering info

Part number

E-mail

Fax number

sales@proscan-antenna.com

0048 22 812 47 98

www.proscan-antenna.com